

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Fig. 1.



α -glucosidase constructs

Fig. 2.A




Fig. 2B.





Fig. 2C.



Transcription Initiation site.

■ α _{s1} casein sequence, promoter or 3' untranslated region.

2 3 The boxes represent the exons in the α -glucosidase sequence, the thin line represents the intron sequences.

The numbers above the boxes are the exon numbers

pA = polyadenylation signal.

ATG = translation initiation site.

TAG = translation stop codon

Fig. 3A.




Fig. 3B.




Fig. 3.C.




Fig. 4. A.




Fig. 4. B.




Fig. 5.




Fig. 6.




Fig. 7.




Fig. 8.




Fig. 9.




Fig. 10.




Fig. 11. A.




Fig. 11. B.




Fig. 11. C.





Fig. 11. D.






Fig. 13. A.

transgenic whey




Fig. 13. B.

non-transgenic whey






Fig. 14.



————— 12099801:1_UV1_280nm
 - - - - - 12099801:1_pH
 * * * * * 12099801:1_Cond%
 12099801:1_Fractions

Fig. 15.




12099802:11_UV1_280nm

12099802:11_pH

12099802:11_Cond%

12099802:11_Fractions

Fig. 16.




12099803:12_UV1_280nm

12099803:12_pH

12099803:12_Cond%


12099803:12_Fractions

Fig. 17.



12099804:13_Fractions

Fig. 18.




121099805:1_UV1_280nm

121099805:1_pH

121099805:1_Conc%

121099805:1_Fractions

Fig. 19.



121099806:1_UV1_280nm

121099806:1_pH

121099806:1_Cond%

121099806:1_Fractions

Fig. 20.





Fig. 21.




— hatypei02:11 _UV1_230nm

- - - hatypei02:11 _pH

x x x hatypei02:11 _Cond%

hatypei02:11 _Fractions

Fig. 22.



—— hatypei03:12_UV1_280nm

----- hatypei03:12_pH

x-x-x-x hatypei03:12_Conc%

hatypei03:12_Fractions

Fig. 23.




Fig. 24.




Fig. 25.




Fig. 26.

XK16/15 80°C
cHT type I 10mM Napi pH 6.5 ; QFF eluate
Run 02249901/02259901/02269901

